




Atoc Inc.
3615 132nd St SW, Ste C
Lynnwood, WA 98087

(425) 745-2131
www.Atoc.com



Quick Reference Guide




1

Interconnect

parallelogram assembly
(do not exceed 50% of receiver's tongue load capacity)

Int125	1.25" connection for Class I and II receivers
Int200	2.00" connection for Class II+, III, IV receivers
Int200XL	2.00" extra long (+7.5") connection for Class II+, III, IV receivers






2

Cross Arm Assembly

supports bike mounts & specialty rails

Mounting Hardware	Cross Arm Length
CAA - X X X X - Y Y Z Z	
Qty of single bike or SWB recumbent positions Qty of 2-wheel specialty rail positions Qty of delta trike positions Qty of tadpole trike positions	Lower cross arm Upper cross arm
EXAMPLE: CAA-2100-3030	2 singles 1 Tandem 30" upper arm 30" lower arm





3

Specialty Rail

extends wheelbase capacity beyond 48"

Tandems & 2 wheel recumbents

S63 fits up to 63" wheelbase

S76 fits up to 76" wheelbase

S84 fits up to 84" wheelbase

<p><u>Delta Trikes (1 wheel front)</u></p> <p>S63 fits up to 60" wheelbase</p> <p>S76 fits up to 73" wheelbase</p>	<p><u>Tadpole Trikes (2 wheels front)</u></p> <p>STT-G2 2nd Generation STT (one size fits virutally all tadpoles)</p>
--	---

4

Accessories

Remember to ask about accessories!



Atoc Inc.
3615 132nd St SW, Ste C
Lynnwood, WA 98087

(425) 745-2131
www.Atoc.com



Spring 2014 RETAIL PRICE LIST

Effective March 1, 2014

BUNDLED SYSTEMS & ACCESSORIES





Order Code	Modules included	Application				Suggested Retail
------------	------------------	-------------	--	--	--	------------------

BUNDLED SYSTEMS:

Easy ordering of our more popular configurations
The HR- codes shown below correspond to the CAA- codes shown on the MODULAR ORDERING page

HR-1tTrike	= Int200 + CAA-0001-4309 + (1) STT-G2	1 tadpole trike				\$ 776.75
HR-2tTrike	= Int200 + CAA-0002-7656 + (2) STT-G2	2 tadpole trikes				\$1,196.25
HR-1dTrike	= Int200 + CAA-0010-0943 + (1) S63	1 delta trike				\$ 756.75
HR-1dTrike+1tTrike	= Int200 + CAA-0011-5656 + (1)S63+(1)STT-G2	1 delta trike + 1 tadpole trike				\$1,146.25
HR-2dTrike	= Int200 + CAA-0020-5676 + (2) S63	2 delta trikes				\$1,156.25
HR-1S76	= Int200 + CAA-0100-0909 + (1) S76	1 tandem or LWB recumbent				\$ 703.50
HR-2S76	= Int200 + CAA-0200-3030 + (2) S76	2 tandems or LWB recumbents				\$1,026.75
HR-3S76	= Int200 + CAA-0300-4343 + (3) S76	3 tandems or LWB recumbents				\$1,336.00
HR-1+1tTrike	= Int200 + CAA-1001-4343 + (1) STT-G2	1 standard bicycle + 1 tadpole trike				\$ 846.00
HR-1+1S76	= Int200 + CAA-1100-3030 + (1) S76	1 standard bicycle + 1 tandem or LWB recumbent				\$ 781.75
HR-2	= Int200 + CAA-2000-3030	2 standard bicycles or SWB recumbents				\$ 536.75
HR-2+1tTrike	= Int200 + CAA-2001-5656 + (1) STT-G2	2 standard bicycles or SWB 'bents + 1 tadpole trike				\$ 921.25
HR-2+1dTrike	= Int200 + CAA-2010-5656 + (1) S63	2 standard bicycles or SWB 'bents + 1 delta trike				\$ 901.25
HR-2+1S76	= Int200 + CAA-2100-3030 + (1) S76	2 standard bicycles + 1 tandem MOST POPULAR				\$ 829.00
HR-2+1S76 wide	= Int200 + CAA-2100-4343 + (1) S76	2 std bicycles or SWB 'bents + 1 tandem or LWB 'bent				\$ 846.00
HR-2+2S76	= Int200 + CAA-2200-5656 + (2) S76	2 std bicycles or SWB 'bents + 2 tandems or LWB 'bents				\$1,166.25
HR-3	= Int200 + CAA-3000-4343	3 standard bicycles or SWB recumbents				\$ 601.00
HR-4	= Int200 + CAA-4000-4343	4 standard bicycles				\$ 648.25
HR-4+1S76	= Int200 + CAA-4100-5656 + (1) S76	4 standard bicycles + 1 tandem				\$ 968.50
HR-5	= Int200 + CAA-5000-5656	5 standard bicycles				\$ 723.50

ACCESSORIES:

FWC	Front Wheel Carrier - holds up to 4 wheels					\$ 109.00
FWC-OE	Add a FWC to a Draftmaster as an <i>original equipment</i> part. Ships in Cross Arm box to save on s/h					\$ 109.00
TL	Topper Lok skewer - lockable, long-throw cam, rust proof. Fits most 9mm fork mounts Uses an ordinary padlock or ML605 below					\$ 54.00
TL-OE	Add a Topper Lok to any Draftmaster or Topper Rack as original equipment. (Replaces default skewer.)					\$ 49.00
ML605	This Master Lock padlock works great with the Topper Lok - more secure than ordinary padlocks					\$ 15.50
SHB125	Security Hitch Bolt for 1.25" receivers					\$ 37.00
SHB200	Security Hitch Bolt for 2.00" receivers					\$ 37.00
SFM	Secondary Fork Mount - adds another fork mount to a Specialty Rail					\$ 44.00
WTAK	Wheel Tray Adapter Kit - temporarily converts a Specialty Rail position to a standard bicycle position					\$ 44.00
Stand	Display stand for Draftmaster (and other) hitch racks					\$ 160.00
Cycle Art Decals	DCL-sngl	Traditional single rider 	Available wholesale in packs of 20 White weather-proof vinyl Background peels away - only the graphic stays Great for windows, bumpers, etc.			\$ 3.00
	DCL-bent	Recumbent rider 				\$ 3.00
	DCL-tndm	Tandem riders 				\$ 3.00
LITE BEAMS 	Put your light where you want it		LB-Lo	Lo-Beam: for your front skewer		\$ 25.00
			LB-Mid	Mid-Beam: for 5mm threaded bosses		\$ 20.00

REPLACEMENT PARTS: Please see PARTS page



Atoc Inc.
3615 132nd St SW, Ste C
Lynnwood, WA 98087

(425) 745-2131
www.Atoc.com



Spring 2014
RETAIL
PRICE LIST

Effective March 1, 2014

MODULES

Order Code	Application				Suggested Retail
------------	-------------	--	--	--	------------------

Draftmaster hitch racks consist of 2 or more modules, all of which can be ordered independently and mixed & matched to suit your needs:

- 1) Interconnect parallelogram swing away mechanism
- 2) Cross Arm Assembly (upper and lower) of the appropriate configuration. This is where most customization occurs.
- 3) Specialty Rails as needed for bikes with wheelbases longer than 48 inches and specialty applications like tandems, long recumbents, and trikes.

1) INTERCONNECT: Do not exceed 50% of receiver's tongue load capacity.

Int125	with connection for 1.25" Class I and II receivers				\$ 300.00
Int200	with connection for 2.00" Class II+, III, and IV receivers				\$ 275.00
Int200XL	with extra long (+7.5") connection for 2.00" Class II+, III, and IV receivers				\$ 300.00

2) CROSS ARM ASSEMBLY:

The CAA code tells us what mounting hardware to install and how wide your cross arms need to be
See the Quick Reference Guide for an explanation of the CAA codes
The CAA- codes shown below correspond to the HR- codes shown on the BUNDLED SYSTEM ORDERING page

CAA-0001-4309	1 tadpole trike				\$ 256.75
CAA-0002-7656	2 tadpole trikes				\$ 431.25
CAA-0010-0943	1 delta trike				\$ 256.75
CAA-0011-5656	1 delta trike + 1 tadpole trike				\$ 401.25
CAA-0020-5676	2 delta trikes				\$ 431.25
CAA-0100-0909	1 tandem or LWB/CWB recumbent				\$ 183.50
CAA-0200-3030	2 tandems or LWB/CWB recumbents				\$ 261.75
CAA-0300-4343	3 tandems or LWB/CWB recumbents				\$ 326.00
CAA-1001-4343	1 standard bicycle + 1 tadpole trike				\$ 326.00
CAA-1100-3030	1 standard bicycle or SWB recumbent + 1 tandem or LWB/CWB recumbent				\$ 261.75
CAA-2000-3030	2 standard bicycles or SWB recumbents				\$ 261.75
CAA-2001-5656	2 standard bicycles or SWB recumbents + 1 tadpole trike				\$ 401.25
CAA-2010-5656	2 standard bicycles or SWB recumbents + 1 delta trike				\$ 401.25
CAA-2100-3030	2 standard bicycles + 1 tandem OUR MOST POPULAR CONFIGURATION				\$ 309.00
CAA-2100-4343	2 standard bicycles or SWB recumbents + 1 tandem or LWB/CWB recumbent				\$ 326.00
CAA-2200-5656	2 std bicycles or SWB 'bents + 2 tandems or LWB 'bents				\$ 401.25
CAA-3000-4343	3 standard bicycles or SWB recumbents				\$ 326.00
CAA-4000-4343	4 standard bicycles				\$ 373.25
CAA-4100-5656	4 standard bicycles + 1 tandem				\$ 448.50
CAA-5000-5656	5 standard bicycles				\$ 448.50

3) SPECIALTY RAILS:

S63	CWB recumbents with wheelbases up to 63" and delta trikes up to 60"				\$ 225.00
S76	Tandems and LWB recumbents with wheelbases up to 76" and delta trikes up to 73"				\$ 245.00
S84	Tandems and LWB recumbents with wheelbases up to 84" (e.g. Rans Seavo)				\$ 265.00
STT-G2	Tadpole trikes (2 nd Generation STT - one size fits virtually all tadpoles)				\$ 245.00

ACCESSORIES: Please see ACCESSORIES section on BUNDLED SYSTEMS / ACCESSORIES page

REPLACEMENT PARTS: Please see PARTS page



Atoc Inc.
3615 132nd St SW, Ste C
Lynnwood, WA 98087

(425) 745-2131
www.Atoc.com

TOPPER RACKS™

Spring 2014 RETAIL PRICE LIST

Effective March 1, 2014

	Order Code	Max. Wheel Base	Min. Load Bar Spacing	ALL TOPPERS ARE COMPATIBLE WITH FRONT DISC BRAKES				Suggested Retail
TANDEM TOPPER (pivoting)	TT-076	76"	22"	Our most popular model - For all traditional tandems and LWB recumbents, including the Rans Screamer				\$ 420.00
	TT-084	84"	22"	For extra long tandems and recumbents (e.g. Rans Seavo)				\$ 440.00
	TT-095	95"	30"	For bicycles with wheelbases up to 95", such as the Sun EZ Tandem				\$ 585.00
	TT-105	105"	35"	For virtually all triplet tandems - carries a triple, double, or single bicycle				\$ 599.00
	TT-other	<i>really long</i>		We have several super long Tandem Topper models to meet just about every need, including quad tandems	Please inquire for details			
BIKE TOPPER (non-pivoting)	BT-45	45"	12"	All traditional single bikes & SWB recumbents - ideal for cars with short roof lines				\$ 130.00
	BT-HT51	51"	20"	"HIGH TOPPER" high rise fork mount + wheel tray for singles & recumbents with fenders, disc brakes, pannier racks, etc.				\$ 140.00
	BT-63	63"	15"	For cargo bikes and CWB recumbents				\$ 165.00
	BT-76	76"	22"	For all traditional tandems and LWB recumbents, including the Rans Screamer				\$ 260.00
	BT-84	84"	22"	For extra long tandems and recumbents (e.g. Rans Seavo)				\$ 280.00
	BT-EGO	?	?	★ NEW ★ Specially designed for the ElliptiGO elliptical bicycle - fits all ElliptiGO models ★ NEW ★				\$ 175.00
TOPPER LOK	TL	Lockable, long-throw cam, rust proof. Fits most 9mm fork mounts - uses an ordinary padlock or ML605 below						\$ 54.00
	TL-OE	Add a Topper Lok skewer to any Draftmaster or Topper Rack as <i>original equipment</i> . (Replaces default skewer.)						\$ 49.00
	ML605	This Master Lock specialty padlock works great with the Topper Lok - better looking and more secure than ordinary padlocks						\$ 15.50

Default mounting hardware fits Thule (rectangular) and Yakima (round) compatible load bars.

Optional mounting hardware is available for installing Topper Racks on top slot style load bars. See below for details.

Factory load bars (right-to-left bars) from most US and Japanese automakers are not recommended for carrying bicycles. For safety's sake please upgrade to heavy duty load bars.

Top Slot Load Bar Mounting Kits	MK-2025-Tpr	Mounting kit to put a Topper on T-slot style load bars. Fits all load bars with a 20 or 25 mm wide T-slot on top, including Thule AeroBlade & Rapid Aero, Yakima Whispbar, and factory load bars from VW, Audi, Mercedes, BMW, and Mini.					\$ 40.00
	MK-2025-Tpr-OE	Same as above but included as <i>original equipment</i> with any Topper. (Replaces default mounting hardware.)					\$ 20.00

Cycle Art Decals	DCL-sngl	Traditional single rider		Available wholesale in packs of 20 White weather-proof vinyl Background peels away - only the graphic stays Great for windows, bumpers, etc.				\$ 3.00
	DCL-bent	Recumbent rider						\$ 3.00
	DCL-tndm	Tandem riders						\$ 3.00

LITE BEAMS	Put your light where you want it	LB-Lo	Lo-Beam: for your front skewer				\$ 25.00
		LB-Mid	Mid-Beam: for 5mm bosses				\$ 20.00

